ClearOne® Aura™

With **Aura**, Professionals can now **Re-imagine** their **Workspaces** at **Home**

CHAT® 150
USB Speakerphone

Aura Professional
Home Office Solution

Speakerphone for any size home office. CHAT® 150 connects to PCs for rich, HDConference® audio and can be used with unified communications, Web collaboration, instant messaging, and any other applications requiring high quality full duplex audio.

Dramatically enhances the audio and video experience for any **cloud-based collaboration** application for your **professional home office**

COMPATIBLE WITH

zoom

Enhance Your Cloud Collaboration

Highlights

✦ Distributed Echo Cancellation® and noise cancellation along with full-duplex performance and automatic level controls guarantee your conference calls to be natural with unmatched audio clarity free of any distractions.

✦ Connect the CHAT® 150 or the CHATAttach® 150 to laptops & PCs via USB for handsfree audio.

✦ Compatible with popular applications such as COLLABORATE® Space, Microsoft® Teams, WebEx™, Zoom™, Google® Meet™, and more.

✦ FREE COLLABORATE® Space lifetime subscription — ClearOne's high quality, award-winning cloud-based video collaboration application.

✦ First-mic priority intelligently activates only the microphone closest to the person speaking, preventing the amplification of ambient noise and room reflections.

✦ Daisy-chainable design can expand up to two complete speakerphones to cover medium-sized rooms. Full speakerphone expandability allows both mic and speaker to cover the entire room along with flexibility of control using any speakerphone.

Aura Professional Home Office Application

Complete your **CHAT® 150 USB Speakerphone** setup by adding other ClearOne Aura products

Room Display

Laptop

USB

HDMI

Versa Hub

UNITE® 20
Pro Webcam

USB

USB

CHAT® 150
USB
Speakerphone

Specifications

✦ AUR-156-200 CHAT® 150 USB
and connecting cable

INCLUDES
✦ Free COLLABORATE® Space lifetime subscription

AUDIO
✦ Speaker
- Bandwidth: 190 Hz - 20 kHz
- Max output level: 85 dB SPL @ 1 meter
✦ Microphone
- Bandwidth: 100 Hz - 12 kHz
✦ Full-Duplex Acoustic Echo Cancellation (AEC)
✦ Noise Cancellation (NC)
✦ Automatic Level Control (ALC)

COMPATIBILITY
✦ Windows 7 or higher
✦ MAC OSx

INPUT/OUTPUT INTERFACE
✦ USB Mini B port
✦ Version 2.0 compatible
✦ Keyed RJ-45 (8 conductor)

CONTROLS
✦ Volume up
✦ Volume down
✦ Microphone mute

POWER
✦ USB-powered
✦ 5 VDC @ 500 mA Maximum

ENVIRONMENTAL
✦ Operating temperature: 41° F - 104° F
(5° C - 40° C)

MECHANICAL
✦ Dimensions: (W x D x H): 7.4 x 7.4 x 1.8"
(188 x 188 x 46 mm)
✦ Weight: 1.17 lb (0.53 kg)

Sales & Inquiries